

FESTO

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450

For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Delivery note
1162478450

Date
03 June 2016

No of pages
8 of 8

Contact Department
Mrs. L. Hocking

Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Description	Part number	Qty.	Net price per unit
<ul style="list-style-type: none"> - Electropneumatics - Servopneumatics - Safety in pneumatics (new) - Vacuum technology (new) - Sensors in pneumatics (new) - GRAFCET - Digital technology System requirements: <ul style="list-style-type: none"> - Windows XP, Vista, 7 or 8 - At least 1 GHz processor - At least 1 GB RAM - Dual core processor (recommended) Technology: Pneumatics Type (license): Local installation Number (pieces): Single/multiple licence de/en/es/fr LICENCES_PCS			

Number of packages 1
Total weight 275,587 KG

Your signature signifies that the goods were sold in accordance with our conditions of sale, which are printed on the reverse side hereof.
Interest at 2% per month will be charged on all overdue accounts.
Goods may only be returned for credit by prior arrangement and are subject to handling charges unless due to supplier error.

Received by

Michael
Name

Motung
Signature

07-06-16
Date

FESTO

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450

For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Delivery note
1162478450

Date
03 June 2016

No of pages
7 of 8


Contact Department
Mrs. L. Hocking

Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Description	Part number	Qty.	Net price per unit
<p>Training course documents Twelve project-orientated exercises, increasing in complexity and suitable for equipment set TP 201, are the ideal introduction to electropneumatics. Real problem descriptions with positional sketch, concrete project tasks and detailed aids for professional implementation provide the ideal preparation for a real-life industrial environment. A new feature in the latest edition is the separation of the documentation into a workbook and a book of exercises. Each worksheet in the book of exercises has a sample solution in the workbook. The workbook includes:</p> <ul style="list-style-type: none"> - Sample solutions - Training notes - Multimedia CD-ROM with graphics, photos of industrial applications, animations and FluidSIM® circuit diagrams - Exercise sheets for trainees M. Pany, S. Scharf, R.-C. Weber <p>Edition 2012, 270 pages, in colour, bound. Campus licence – permission to copy for internal purposes inclusive Campus licence: en</p> <p>Item 0150 D:SW-FSP5-XOL FluidSIM® 5 FluidSIM® 5 Pneumatics is an application for creating and simulating pneumatic and electropneumatic circuits. The software package includes a circuit creation tool, a high-performance simulation tool and a comprehensive e-learning tutorial. The following automation technology topics are covered:</p> <ul style="list-style-type: none"> - Pneumatics 	8024357	1	15.355,08 ZAR

FESTO

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450

For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Delivery note
1162478450

Date
03 June 2016

No of pages
6 of 8

Contact Department
Mrs. L. Hocking

Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Description	Part number	Qty.	Net price per unit
Item 0120 D:AS-LP Consisting of: - Coupling socket (KD3-CK-4 and KD4-1/4-A) - Coupling plug (KS4-CK-4) - Tubing (6 x 1 silver 2,5 m)	102725	1	394,42 ZAR
Item 0130 D:LW-P-101-1 -EN Pneumatics, Basic level TP 101: Training course documents Nineteen project-orientated exercises, increasing in complexity and suitable for equipment set TP 101, are the ideal introduction to pneumatics. Real problem descriptions with positional sketch, concrete project tasks and detailed aids for professional implementation provide the ideal preparation for a real-life industrial environment. A new feature in the latest edition is the separation of the documentation into a workbook and a book of exercises. Each worksheet in the book of exercises has a sample solution in the workbook. The workbook includes: - Sample solutions - Training notes - Multimedia CD-ROM with graphics, photos of industrial applications, animations and FluidSIM® circuit diagrams - Exercise sheets for trainees W. Haring, M. Metzger, R.-C. Weber Edition 2012, 284 pages, in colour, bound. Campus licence – permission to copy for internal purposes inclusive Campus licence: en	541088	1	5.888,00 ZAR
Item 0140 D:LW-EP-201-1 -EN Electropneumatics, Basic level TP 201:	541090	1	5.888,00 ZAR

FESTO

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450

For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Delivery note
1162478450

Date
03 June 2016

No of pages
5 of 8

Contact Department
Mrs. L. Hocking

Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Description	Part number	Qty.	Net price per unit
laboratory cables, 47 pieces, black, are suitable (order no. 572096)			
Item 0080 D:TPM-NESTLE Set of Elements for TPM-Training	572127	1	10.558,35 ZAR
Item 0090 D:ETER2-MOD-POWER-24V Power supply unit for mounting frame - Input voltage: 85 - 265 V AC (47 - 63 Hz) - Output voltage: 24 V DC, short-circuit-proof - Output current: max. 4.5 A - Dimensions: 170 x 240 x 92 mm Type: Without power cable	159382	1	6.756,75 ZAR
Item 0100 D:AS-NK-ZA-KGS-2,5M IEC power cable One side designed as a connector and one side with a country-specific plug. Type: Connector as per SANS 164-1 for ZA, IN, PT, SG, HK, (GB), (AE)	350367	1	196,02 ZAR
Item 0110 D:AS-P-VD-6-25 Oil-lubricated, extremely quiet (45 dB (A)) compressor. Ideally suited for use in classrooms. With pressure regulator and water separator. - Pressure: 800 kPa (8 bar) Pmax - Performance: 50 l/min - Reservoir capacity: 24 l - Compressed air outlet: 1/4" "" - Noise level: 45 dB (A)/1 m - Duty cycle: max. 50 % Design: 230 V/50 Hz With mains cable suitable for DE, FR, NO, SE, FI, PT, ES, AT, NL, BE, GR, TR, IT, DK, IR, ID Version: 230 V	91030	1	16.822,67 ZAR

FESTO

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450

For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Delivery note
1162478450

Date
03 June 2016

No of pages
4 of 8

Contact Department
Mrs. L. Hocking

Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Description	Part number	Qty.	Net price per unit
<p>Learnline drawers. The scope of delivery includes adhesive symbols for clearly labelling where the components are kept.</p> <p>1x Signal input, electrical 162242</p> <p>2x Relay, three-fold 162241</p> <p>1x Limit switch, electrical, left-actuated 183322</p> <p>1x Limit switch, electrical, right-actuated 183345</p> <p>1x Proximity sensor, optical, M12 572744</p> <p>2x Proximity sensor, electronic with cylinder mounting 540695</p> <p>1x 2 x 3/2-way solenoid valve with LED, normally closed 567198</p> <p>1x 5/2-way solenoid valve with LED 567199</p> <p>2x 5/2-way double solenoid valve with LED 567200</p> <p>1x Pressure sensor with display 572745</p> <p>2x One-way Flow Control Valve 193967</p> <p>1x Double-acting cylinder 152888</p> <p>Item 0070</p> <p>D:AS-KS-4MM-UNI-SIBU</p> <p>Safety laboratory cables, 98 pieces, red and blue</p> <p>Complete set, consisting of 98 safety laboratory cables with 4 mm safety plugs in the colours red and blue:</p> <ul style="list-style-type: none"> - 10x red 50 mm - 10x blue 50 mm - 26x red 300 mm - 11x blue 300 mm - 21x red 500 mm - 12x blue 500 mm - 3x red 1000 mm - 3x blue 1000 mm - 1x red 1500 mm - 1x blue 1500 mm - Plugs with rigid protective sleeve and axial socket - Conductor cross section: 1 mm² - Rated current: 16 A <p>For the third cable colour, safety</p>	167091	1	6.296,40 ZAR

FESTO

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450

For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Delivery note
1162478450

Date
03 June 2016


No of pages
3 of 8

Contact Department
Mrs. L. Hocking

Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Description	Part number	Qty.	Net price per unit
1x 3/2-way valve, pneumatically actuated at one end 576302 1x 5/2-way valve, pneumatically actuated at one end 576307 3x 5/2-way double pilot valve, pneumatically actuated at both ends 576303 1x Shuttle Valve (OR) 539771 2x Dual-pressure Valve (AND) 539770 1x Quick-exhaust Valve 539772 2x One-way Flow Control Valve 193967 1x Single-acting Cylinder 152887 1x Double-acting cylinder 152888 1x On-Off Valve with Filter Regulator Unit 540691 1x Pressure Regulator Valve with Manometer 539756 2x Manometer 152865 1x Distribution Manifold 152896 2x Plastic tubing 151496 Item 0060 D:TP-201/101-1-CE-SB "Extension kit to convert " "Pneumatics," "Basic Level" " (TP 101) to" Electropneumatics, Basic Level (TP 201) This extension kit, together with the "equipment set " "Pneumatics, Basic Level" ", " provides all the components required for basic training in electropneumatic control technology. Components have the patented Quick-Fix system, pneumatic and electrical connections are located on the easily-accessible upper side of the components, Quick Star fittings for plastic hose PUN-4 x 0.75 with standard inside or outside diameters and 4 mm safety sockets or M8 industrial plug connectors. All components are of industrial quality. Supplied in Systainer-compatible equipment trays, also suitable for	540717	1	35.699,40 ZAR

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450

For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Delivery note
1162478450

Date
03 June 2016

No of pages
2 of 8

Contact Department
Mrs. L. Hocking
Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Description	Part number	Qty.	Net price per unit
Item 0030 D:LL2-AB Storage plate for the basic mobile unit	539729	1	2.003,10 ZAR
Item 0040 D:LL2-HC Holder for laboratory cables	535812	2	1.060,29 ZAR
Item 0050 D:TP-101-CP TrainingPackage 101: Pneumatics Basic Level This training package includes all the components required for training in the fundamentals of pneumatic control technology. Components have the patented Quick Fix mounting system, pneumatic connections on the easily-accessible upper side of the components, and Quick Star fittings for plastic tubing PUN 4 x 0.75 mm with standard inside or outside diameters. All components are industrial quality. Supplied in Systainer-compatible equipment trays, also suitable for Learnline drawers. The scope of delivery includes adhesive symbols for clearly labelling where the components are kept. 2x 3/2-Way-Panel mounted with Pushbutton Actuator, normally closed 152860 1x 3/2-Way- Panel mounted Valve with Pushbutton Actuator, normally open 152861 1x 5/2-Way Panel Mounted Valve with Selector Switch 152862 1x 3/2-Way Panel Mounted Valve with Selector Switch, normally closed 152863 2x 3/2-Way Roller Lever Valve, normally closed 152866 2x Proximity sensor, pneumatic, with cylinder attachment 539775 1x Pneumatic timer, normally closed 540694 1x Pressure Sequence Valve 152884	540710	1	37.132,92 ZAR

*** COPY ***

FESTO

NESTLE SOUTH AFRICA (PTY) LTD
VENDOR NUMBER 100131928
NESTLE HARRISMITH
BONNET STREET
HARRISMITH
9880



FES1162478450



For all requests please indicate customer number and delivery note number

Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478450	2170491636	Didactic Sales

Shipping type	Packed by	Checked by
21 / Carrier		
Sales Office	Time	
1701 Johannesburg	10:41	

Delivery note
1162478450

Date
03 June 2016

No of pages
1 of 8

Your order 4546653168 of 20.03.2016

Delivery to:
ZA PL Harrismith
Nestle South Africa (Pty) Ltd
10 Bonnet Street
Harrismith 9880
South Africa

Pls. Sign all the copies

Delivery to:
ZA PL Harrismith
Nestle South Africa (Pty) Ltd
10 Bonnet Street
Harrismith 9880
South Africa

Contact Department
Mrs. L. Hocking
Didactic
Phone ++27 (0) 11-971-5
Fax ++27 (0) 11-974-9
liane.hocking@za.festo.co

Reg. No. 1973/003776/07
VAT Reg. No. 4350101004

Directors:
Mr. KJM Heckl. * Dr. OJ Schott**
B.C. Wallace (Managing)
*German **Swiss

Regional Offices at:

Bloemfontein
Cape Town
Durban
East London
Pietermaritzburg
Port Elizabeth
Pretoria
Vereeniging

Description	Part number	Qty.	Net price per unit
Item 0010 D:LL2-MW-MF-V-1100-ER Mobile laboratory workbench Mobile workstation system with profile plate that can be used on both sides (1100 mm) and ER mounting frame. Type: With 1100 x 700 mm profile plate and ER frame	539028	1	40.495,95 ZAR
Item 0020 D:LL2-SD3 Fixed drawer unit for installation in mobile workstations Fixed drawer unit with three lockable steel drawers, fully extendable and with safety stop. Type: Fixed drawer unit hydraulic with 3 drawers	539026	2	14.399,39 ZAR

Festo (Pty.) Ltd.
Head Office, Johannesburg
22 - 26 Electron Ave. Isando
P.O.Box 255, 1600
Republic of South Africa
Phone +27(0)11-971-5500
Fax +27(0)11-974-2157