CROSSROADS DISTRIBUTION (PTY) LTD



118 SETTER ROAD MIDRAND 1682

CROSSROADS

Vat No

: 4800123335

Reg No : 2003/014576/07

Tel

: 0115714939

Fax

: 086 658 7925

TAX INVOICE

2060803



Debtor

: TRIM001

Date

: 22/11/2021

Page

: 1 of 1

TRI MOVE CC

53 TARENTAAL ROAD **BRIDGETOWN, ATHLONE**

CAPE TOWN

Order No 1

: 75414849

Order No 2

Order No 3

Dr Vat No

: 4780280667

Load No

: 123467

From

: DURB

DURBAN

Load Date

: 03/11/2021

To

: DURB

DURBAN

Route

Remarks

DESCRIPTION

Qty

UNIT

RATE

TOTAL

MIXED LOAD

1.0000

LOAD

5950,000000

5,950.00

: TBC Vehicle Trailer : -

Driver Pod's

: 6900196404

Del

: 196404

Our Banking Details

Bank Branch: 123209

: NEDBANK

A/C

: 1232-102067

Type

: CURRENT

Total Qty: 1.0000

Subtotal (R):

5,950.00

VAT15%: (R):

892.50

Total (R):

6,842.50

PACKING LIST

Page 1 of 2

Shipped From	VAT/GST 4900268657	Order Number	Shipment Number
BLUE CUBE CHEMICALS SOUTH AFRICALS SOUTH AFRICALS 1474 South Coast Road	CA	10159569	6900196404
4060 Durban South Africa		Customer Order Number	Delivery Number
Soulii Airica		75414849	80199365
Deliver to / Consignee BRENNTAG SOUTH AFRICA (PTY) LTD 247 15TH ROAD, RANDJESPARK 1685 MIDRAND,South Africa		Sold To BRENNTAG SOUTH AFRICA (PTY 247 15TH ROAD, RANDJESPARK 1685 MIDRAND,South Africa	
Shipmer Date(DD.MM.YYYY)	Delivery Date(DD.MM.YYYY) 02.11.2021		
Shipmer Date(DD.MM.YYYY) Equipment ID		Seal Number	Port of Loading
	02.11.2021	Seal Number	Port of Loading Port of Discharge

Item#	Goods Description	Quantity	Batch Number	Net Weight	Gross Weight
000010	00000001000001971 D.E.R.™ 671-X75 Epoxy Resin 220 KG Tight Head Drum UN 1866, RESIN SOLUTION,3,PG III F-E, S-E, Flash Point: 34 °C IMDG Stowage category A UN 1866 RESIN SOLUTION, flammable,3, III ZA_DG Country of Origin:Germany	48 DR	3005L28121	10,580 KG	11,278,03 KG
	Sub Total	48 DR		10,580 KG	11,278.08 KG
000020	00000001000000966 D.E.R.™ 667-E EPOXY RESIN 25 KG POLY BAG IMDG - Not regulated for transport ZA_DG - Not regulated for transport	40 BAG	3005JAJ081	1,000 KG	1,028 KG

3,11,2071

MLPALVANOVA@OLIN.COM

Pho 49-61965 (0.51)

Fax:

PACKING LIST

Page 2 of 2

Shipped From BLUE CUBE CHEMICALS SOUTH AFRIC		GST 49002688 57	Order Nur 10159699	noer	Shipment Rt 6900196404	umber
1474 South Coast Road 4060 Durban South Africa			ļ	Order Number	Delivery Nur	nber
Deliver to / Consignee BRENNTAG SOUTH AFRICA (PTY) LTD 247 15TH ROAD, RANDJESPARK 1685 MIDRAND,South África			Sold To BRENNTAG 247 15TH RI	SOUTH AFRICA (P' DAD, RANDJESPAR AND,South Africa		
Shipmen Date(DD.MM.YYYY)	Deil/ 02.11	very Date(DD.MM.YYY .2021	Y)			
Equipment ID	Vess	el / Aircraît	Seat Num	ber	Port of Lo	ading
Transport Mode	Equi	pment Type			Port of Dis	scharge
Item# Goods Country of Origin:Germany	Descri	ption	Quantity Street	Satch :	Nef Weight	Gross Weight
		Sub Totaí	40 SAG		1,000 KG	1,028 KG
		Total			11,560KG	12,306.08KG
®TM*TRADEMARK OF OLIN AFFILIATED COMPANY OF C		Received In Good Con	GISTICS dition - COA's Atta	ached		
		Signature: Date: St. 11, 2,021 DD/MM/YYYY Company Name: 17,124	Time: HH/MN		·	
In case of emergency 24/7, or in case of spill. accid In South Africa: +32 3 575 55 55 In South Africa: +32 3 575 55 55	ent, injury,	Contact P	mixture or residion, lead ALVANOTIA MARPIA 494619622233441		nrsase, call: MLPALVANOVA@OLI Fax:	и.сом

VEHICLE COMPLIANCE CHECKLIST

PURPOSE/SCOPE

Complete this form for all vehicles entering or leaving our premises.

REFERENCES

SANS 10231:2014 'Transport of dangerous goods by road - Operational requirements'.

SHEQ Site Card Number:

Date vehicle arrived Time vehicle arrived Date vehicle loaded/offloaded Time vehicle loaded/offloaded Operator (Transporter) Company Name Driver's Name Driver's ID Number Driver Assistant 1 (Name & ID Number) Driver Assistant 2 (Name & ID Number) Truck Registration Number Truck Odometer Reading Trailer 1 Registration Number Trailer 2 Registration Number (if applicable) Container Number (if applicable) Seal Number (if applicable) Delivery Note number(s) Client's Name Product or products (if a multi-load) UN Number or numbers (if a multi-load)

Fuel Card Number (if applicable)
Fuel Card Expiry Date (if applicable)

03-11-2021
12107
03-11-2021
234 Capital
Colley
P20312 60020 F4
MPS 75782
MPS 35327
MPS 35413
•
754148 PO
THOO BLUE CUBE
-

	1	n-Haz ceipts			n-Haz atches		ardous eipts		ardous atches
DRIVER REQUIREMENTS	ОК	Fau	ī	ОК	Fault	OK	Fault	ОК	Fault
In possession of a valid PrDP-D licence?		V/A		N'	/A		1 4 4 4	- OK	radit
in possession of a valid medical certificate		V/Α			/A		1		├
In possession of a valid DG training certificate?		V/A		200	I/A		 		
Driver acknowledges site rules as displayed at the entrance	54444 4248	T	200.00	1/	A Charge Transport		 		
Has the required PPE ? (as per TREM card and Site-specific requirements)	X49 G4	I/A	- 1	- N	/A		 	· · · · · ·	

	1	n-Haz eipts		n-Haz atches		irdous eípts		ardous atches
VEHICLE REQUIREMENTS	ОК	Fault	OK	Fault	OK	Fault	OK	Fault
Does the vehicle have a valid licence disc?						, , , ,	<u> </u>	Fant
Orange warning diamond displayed on front of vehicle?	1000	I/A		/A		 		├──
Does the vehicle have wheel chocks? (vehicles to be chocked on entry)						 		
Is the vehicle leaking oil?	†	 				 		
Is the vehicle leaking fuel?	 -	 						
Are the fuel caps in place?	1	 		1				
Are the hazard lights working?						 		├──
Is there an appropriate spill containment kit available?		 		1		 		
Is there an appropriate first aid kit available?	1							
Is there a minimum of 4 orgage barrier cones (to be placed around vehicle)					•		****	
Does the hooter work?	†	 		-		 		
Are the tyres in acceptable condition?	1			 				
Trailer(s) in good condition?								

		n-Haz elpts		-Haz atches		ardous eipts		ardous atches
ALL NON-CONTAINERISED LOADS	OK	Fault	OK	Fault	OK	Fault	DΚ	Fault
Trailer bed(s) clean, free from loose items, damaged panels or projections						1 Built	UK	FAUIL
Trailer bed(s) cracked?						 		
Are there any holes or dents in the trailer bed(s)?	 	 				 		
Is the load tarped?		 				 		
Tarp(s) in good condition?		 				ļ		

IB: CONTAINER checklist must also be completed for containerised loads	Recei	taz ipts	Despa	Haz tches	Rece	dous ipts	Hazardoùs Despatches		
ONTAINERISED and NON-CONTAINERISED LOADS	ок	Fault	ОК	Fault	OK	Fault	OK	Fault	
alid Cat. D operator card displayed on horse?	N//		N/						
alid Cat. D operator card displayed on trailer(s)?	N//	Α.	, N/	A					
ralid roadworthy certificate displayed on horse?			/						
ralid raadworthy certificate displayed on trailer(s)?									
alid registration certificate for transportation of flammable substances?	N/	100 marga at 1 1 2 2	N				`		
correct placards on front (right and left) and rear of vehicle?	N/	And Transparent visiting	N)	A					
rehicle has drop sides in place? (Hazchem loads only)	N/	A	IV.	А					
/ehicle has sufficient strapping/ comer plates in place?			1					·	
Are twist locks available and functional?		A 1046 GEO	- A1	ľΑ					
Designated space (orange box) mounted in vehicle cab?	N/	Д	19,						
/ehicle fitted with fire extinguisher(s)?									
ire extinguisher(s) have a seal in place	N/	/A	N N	/A					
ire extinguisher(s) have been pressure-tested?	N/		1	/A					
Date of last fire extinguisher service is valid?	, consequently/	M . Control						·	
			T		Uaza	rdous	Haza	ırdous	
	Non-		3	-Haz atches		elots		atches	
	Rece	3ij 21 5	Deab	,				,	
CARGO REQUIREMENTS	OΚ	Fault	OK	Fault	OK	Fault	ок	Fault	
das the correct cargo been loaded?				ļ		<u> </u>			
s the cargo in anoth condition? (i.e., no leaks, spills, or damages)								-	
oad has been checked as 'properly secured' prior to entering/ leaving BPI	_	<u> </u>			1		<u> </u>	<u></u>	
					1		ı		
	Non	-H02		ı-Haz	i	ardous		ardous	
	Reco	eipts	Desp	atches	Rec	eipts:	Desp	atches	
A CONTRACTOR OF THE CONTRACTOR	ОК	Fault	ОК	Fault	OK	Fault	ОК	Fault	
DOCUMENTATION REQUIREMENTS		/A		/A.,					
Dangerous goods declaration(s) available? Volid TREM card(s) - <3 yrs old) available for each product loaded?		/A	-	I/A				1	
Valid (REM cara(s) - 0 yrs old) available to east product. Container packing certificate available?				Ī					
Container packing certificate dyolicable v	,		1						
	Nor	n-Haz	No	n-Haz	Haze	ardous	Hoz	ardous	
		eipts		atches		eipts	1	atches	
		·		Fault	ОК	Fault	ОК	Faul	
TAPA REQUIREMENTS	OK	Fault	OK	Fauit	- OK	1301	+	100	
Outside/undercarriage		-			+		 		
Outside/Inside doors	1				+	+	+	1	
		<u> </u>	ļ	+		+	 	+	
						-			
Right/Left sides Front Wall									
Right/Left sides Front Wall Ceiling/Roof Floor Claude host offacts to identify: false wall	s, hidden	comi	partme	nts, inc	onsiste	nt cont	tainer s	size	
Right/Left sides Front Wall Ceiling/Reof Floor Checks should include best efforts to identify: false wall and shape with standard or reported dimensions, signif hidden compartments or jeopardizes integrity of the co damage, presence of bolts instead of rivets, unusual no compartments, damage or quick attempts to alter the materials, and interior space of the container is the pro	icant rep ontainer t on-match structura per lengt	o relic o relic ning po al integ th, hei	ibly hole aint the grity, sig ght and	d and p t might nifican d width	protect t conce t dame	cargo al hid	from l	oss or	
Right/Left sides Front Wall Ceiling/Reof Floor Checks should include best efforts to identify: false wall and shape with standard or reported dimensions, signif hidden compartments or jeopardizes integrity of the co damage, presence of bolts instead of rivets, unusual no compartments, damage or quick attempts to alter the materials, and interior space of the container is the pro W.H.O REQUIREMENT: - confirm the vehicle is free of per	icant rep ontainer t on-match structura per lengt	o relic o relic ning po al integ th, hei	os or poubly hole aint the grity, sign ght and priate bl	d and p t might nifican d width	protect t conce t dame	cargo al hid	from l	oss or	
Right/Left sides Front Wall Ceiling/Reof Floor Checks should include best efforts to identify: false wall and shape with standard or reported dimensions, signif hidden compartments or jeopardizes integrity of the co damage, presence of bolts instead of rivets, unusual no compartments, damage or quick attempts to alter the materials, and interior space of the container is the pro W.H.O REQUIREMENT: - confirm the vehicle is free of per	icant rep ontainer t on-match structure per lengt sts (tick a	o relic o relic ning po al integ th, hei	os or poubly hole aint the grity, sign ght and priate bl	d and p t might nifican d width	protect t conce t dame	cargo al hid	from l	oss or	
Right/Left sides Front Wall Ceiling/Reof Floor Checks should include best efforts to identify: false wall and shape with standard or reported dimensions, signif hidden compartments or jeopardizes integrity of the co damage, presence of bolts instead of rivets, unusual no compartments, damage or quick attempts to alter the materials, and interior space of the container is the pro W.H.O REQUIREMENT: - confirm the vehicle is free of per	icant rep ontainer t on-match structure per lengt sts (tick a	o relic o relic ning po al integ th, hei	os or poubly hole aint the grity, sign ght and priate bl	d and p t might nifican d width	protect t conce t dame	cargo al hid	from l	oss c	
Right/Left sides Front Wall Ceiling/Reof Floor Checks should include best efforts to identify: false wall and shape with standard or reported dimensions, signif hidden compartments or jeopardizes integrity of the co damage, presence of bolts instead of rivets, unusual no compartments, damage or quick attempts to alter the materials, and interior space of the container is the pro W.H.O REQUIREMENT: - confirm the vehicle is free of per Free of pests:	icant rep ontainer t on-match structure per lengt sts (tick a	o relic o relic ning po al integ th, hei	os or poubly hole aint the grity, sign ght and priate bl	d and p t might nifican d width	protect t conce t dame	cargo al hid	from l	oss or	
Right/Left sides Front Wall Ceiling/Reof Floor Checks should include best efforts to identify: false wall and shape with standard or reported dimensions, signif hidden compartments or jeopardizes integrity of the co damage, presence of bolts instead of rivets, unusual no compartments, damage or quick attempts to alter the materials, and interior space of the container is the pro W.H.O REQUIREMENT: - confirm the vehicle is free of per Free of pests: COMMENTS FOR DEVIATIONS NOTED	icant rep ontainer t on-match structure per lengt sts (tick a	o relication of	os or pa ably hole aint the grity, sig ght and priate bl	d and planting the mifican and width	protect t conce t dame	cargo eal hidd age, bo	from l	oss or	

Note: Vehicle auditor for any hazardous loads must be the appointed 'qualified person' as per SANS 10231.

© Bidvest International Logistics®