NESTLE SOUTH AFRICA (PTY) LTD VENDOR NUMBER 100131928 NESTLE HARRISMITH BONNET STREET HARRISMITH 9880



For all requests please indicate customer number and delivery note tuninger						
Customer number	Delivery note number	Our Order number	Festo consultant			
0017031116	1162478458	2170491637	Didactic Sales			

Number of packages

1 1.102,345 KG

Total weight 1.103

Your signature signifies that the goods were sold in accordance with our conditions of sale, which are printed on the reverse

side hereof Interest at 2% per month will be charged on all overdue accounts

Goods may only be returned for credit by prior arrangement and are subject to handling charges unless due to supplier error

Received by

Lenriette

Signature Signature

07/06/16 Date Delivery note 1162478458

Dare 03 June 2016

No of pages 110f 11

Contact Department
Mrs L Hocking

Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane.hocking@za festo co

ntores
Delivered
Nostlé Potch
07.106.1

Sood Food, Good Life

ature



For all requests please indicate customer number and delivery note number						
Customer number	Delivery note number	Our Order number	Festo consultant			
0017031116	1162478458	2170491637	Didactic Sales			

Delivery note 1162478458

June 2016

fpages of 11

act Department s L Hocking

lactic one ++27 (0) 11-971-5 ++27 (0) 11-974-9 ne hocking@za festo co

Description	Part number	Qty	Net price per unit	
- Windows XP, Vista, 7 or 8 - At least 1 GHz processor - At least 1 GB RAM - Dual core processor (recommended) Technology: Pneumatics Type (license). Local installation Number (pieces): Single/multiple licence de/en/es/fr				No o 10 Con Mr
LICENCES_PCS				Did Ph Fa:
D·SW-FSP5-XOL FluidSIM® 5 FluidSIM® 5 Pneumatics is an application for creating and simulating pneumatic and electropneumatic circuits. The software package includes a circuit creation tool, a high-performance simulation tool and a comprehensive elearning tutorial. The following automation technology topics are covered - Pneumatics - Electropneumatics - Servopneumatics - Safety in pneumatics (new) - Vacuum technology (new) - Sensors in pneumatics (new) - GRAFCET - Digital technology System requirements	8024357	,	15.355,08 ZAR	ra lia
- Windows XP, Vista, 7 or 8 - At least 1 GHz processor - At least 1 GB RAM - Dual core processor (recommended) Technology: Pneumatics Type (license). Local installation Number (pieces). Single/multiple licence de/en/es/fr LICENCES_PCS		;	Stores Delivered Nestlé Po Date	

Signature ...!

NESTLE SOUTH AFRICA (PTY) LTD VENDOR NUMBER 100131928 NESTLE HARRISMITH BONNET STREET HARRISMITH 9880



For all requests please indicate customer number and delivery note number						
Customer number	Delivery note number	Our Order number	Festo consultant			
0017031116	1162478458	2170491637	Didactic Sales			

Delivery note 1162478458

03 June 2016

No of pages 9 of 11

Contact Department
Mrs. L Hocking

Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane hocking@za festo co

Description	Part number	Qtv	Net price per unit
earning tutorial. The following automation technology topics are covered: Pneumatics Electropneumatics Servopneumatics Safety in pneumatics (new) Vacuum technology (new) Sensors in pneumatics (new) GRAFCET Digital technology System requirements. Windows XP, Vista, 7 or 8 At least 1 GHz processor At least 1 GB RAM Dual core processor (recommended) Technology. Pneumatics Type (license): Local installation Number (pieces)· Single/multiple licence			
LICENCES_PCS			
Item 0170 D:SW-FSP5-XOL FluidSIM® 5 FluidSIM® 5 Pneumatics is an application for creating and simulating pneumatic and electropneumatic circuits. The software package includes a circuit creation tool, a high-performance simulation tool and a comprehensive e- learning tutorial. The following	8024357	1	15.355,08 ZAR
automation technology topics are covered: - Pneumatics - Electropneumatics - Servopneumatics - Safety in pneumatics (new) - Vacuum technology (new) - Sensors in pneumatics (new) - GRAFCET - Digital technology System requirements:		3	Otores Delivere

ered e Potch o O

Neste Meste Meste

.. 10



For all requests please indicate customer number and delivery note number						
Customer number	Delivery note number	Our Order number	Festo consultant			
0017031116	1162478458	2170491637	Didactic Sales			

Delivery note 1162478458

03 June 2016

No of pages 8 of 11

Contact Department Mrs L Hocking

Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane hocking@za festo co

Description	Part number	Qty		Net price per unit
internal purposes inclusive				
Campus licence. en				
Item 0150			1	
D·SW-FSP5-XOL	8024357	,	1	15.355,08 ZAR
FluidSIM® 5				
FluidSIM® 5 Pneumatics is an application				
for creating and simulating pneumatic			-	
and electropneumatic circuits. The				
software package includes a circuit				
creation tool, a high-performance simulation tool and a comprehensive e-		Ì		
learning tutorial. The following		1	- 1	
automation technology topics are				
covered.				
- Pneumatics				
- Electropneumatics	i			
- Servopneumatics				
- Safety in pneumatics (new)				
- Vacuum technology (new)			- 1	
- Sensors in pneumatics (new)				
GRAFCET				
- Digital technology				
System requirements: - Windows XP, Vista, 7 or 8			1	Stores
- At least 1 GHz processor			-	
- At least 1 GB RAM		,	1	Delivered
- Dual core processor (recommended)		-		Nestlé Pot
Technology, Pneumatics	Ì		- 1	Nestle For
Type (license): Local installation			- 1	Date
Number (pieces): Single/multiple licence				
de/en/es/fr		ļ		Signature
LICENCES_PCS				The second second
Item 0160	000/05=			45 255 00 745
D·SW-FSP5-XOL	8024357		1	15.355,08 ZAR

FluidSIM® 5 FluidSIM® 5 Pneumatics is an application for creating and simulating pneumatic and electropneumatic circuits. The software package includes a circuit creation tool, a high-performance simulation tool and a comprehensive e-

NESTLE SOUTH AFRICA (PTY) LTD VENDOR NUMBER 100131928 NESTLE HARRISMITH BONNET STREET HARRISMITH 9880



For all requests please indicate customer number and delivery note number						
Customer number	Delivery note number	Our Order number	Festo consultant			
0017031116	1162478458	2170491637	Didactic Sales			

Delivery note 1162478458

Date 03 June 2016

No of pages 7 of 11

Contact Department
Mrs L Hocking

Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane.hocking@za.festo.co

Description	Part number	Qty	Net price per unit	
- Training notes - Multimedia CD-ROM with graphics, photos of industrial applications, animations and FluidSIM® circuit diagrams - Exercise sheets for trainees W. Haring, M. Metzger, RC. Weber Edition 2012, 284 pages, in colour, bound Campus licence ~ permission to copy for internal purposes inclusive		•		
Campus licence: en				
D.LW-EP-201-1 -EN Electropneumatics, Basic level TP 201: Training course documents Twelve project-orientated exercises, increasing in complexity and suitable for equipment set TP 201, are the ideal introduction to electropneumatics. Real problem descriptions with positional sketch, concrete project tasks and detailed aids for professional implementation provide the ideal preparation for ta real-life industrial environment. A new feature in the latest edition is the separation of the documentation into a workbook and a book of exercises. Each worksheet in the book of exercises has a sample solution in the workbook. The workbook includes.	541090		5.888,00 ZAR	
- Sample solutions - Training notes - Multimedia CD-ROM with graphics, photos of industrial applications, animations and FluidSIM® circuit diagrams - Exercise sheets for trainees M. Pany, S. Scharf, RC. Weber Edition 2012, 270 pages, in colour, bound.			Stores Delivered Nastlé Po	

Nestle



t,

For all requests please indicate customer number and delivery note number						
Customer number	Delivery note number	Our Order number	Festo consultant			
0017031116	1162478458	2170491637	Didactic Sales			

Delivery note 1162478458

03 June 2016

No of pages 6 of 11

Contact Department Mrs L Hocking

Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane.hocking@za festo co

Description	Part number	Qty	Net price per unit
(A)) compressor Ideally suited for use in classrooms With pressure regulator and water separator Pressure: 800 kPa (8 bar) Pmax - Performance: 50 l/min - Reservoir capacity: 24 l "- Compressed air outlet: 1/4""" - Noise level: 45 dB (A)/1 m - Duty cycle: max. 50 % Design. 230 V/50 Hz With mains cable suitable for DE, FR, NO, SE, FI, PT, ES, AT, NL, BE, GR,TR, IT, DK, IR, ID Version. 230 V		•	
nem 0120 D.AS-LP Consisting of: - Coupling socket (KD3-CK-4 and KD4-1/4-A) - Coupling plug (KS4-CK-4) - Tubing (6 x 1 silver 2,5 m)	102725	4	394,42 ZAR
Item 0130 D·LW-P-101-1 -EN Pneumatics, Basic level TP 101: Training course documents Nineteen project-orientated exercises, increasing in complexity and suitable for equipment set TP 101, are the ideal introduction to pneumatics. Real problem descriptions with positional sketch, concrete project tasks and detailed aids for professional implementation provide the ideal preparation for ta real-life industrial environment. A new feature in the latest edition is the separation of the documentation into a workbook and a book of exercises. Each worksheet in the book of exercises has a sample solution in the workbook.	541088	٤.	Stores Delivered Nestlé Po

& Food, Go

gnothre !

The workbook includes: - Sample solutions

NESTLE SOUTH AFRICA (PTY) LTD VENDOR NUMBER 100131928 NESTLE HARRISMITH BONNET STREET HARRISMITH 9880



For all requests please indicate customer number and delivery note number						
Customer number	Delivery note number	Our Order number	Festo consultant			
0017031116	1162478458	2170491637	Didactic Sales			

Delivery note 1162478458

03 June 2016

No of pages 5 of 11

Contact Department
Mrs L Hocking

Ifc Didactic

Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane hocking@za festo co

Description	Part number	Qty	Net price per unit
- 10x red 50 mm - 10x blue 50 mm - 26x red 300 mm - 11x blue 300 mm - 21x red 500 mm - 12x blue 500 mm - 3x red 1000 mm - 3x blue 1000 mm - 1x red 1500 mm - 1x red 1500 mm - 1x blue 1500 mm - 1x blue 1500 mm - Plugs with rigid protective sleeve and axial socket - Conductor cross section. 1 mm2 - Rated current. 16 A For the third cable colour, safety laboratory cables, 47 pieces, black, are suitable (order no 572096)	Date.	red Potch	Good Food, Goo
Item 0080 D:TPM-NESTLE Set of Elements for TPM-Training	572127	4	10.558,35 ZAR
Item 0090 D:ETER2-MOD-POWER-24V Power supply unit for mounting frame - Input voltage: 85 - 265 V AC (47 - 63 Hz) - Output voltage. 24 V DC, short- circuit-proof - Output current: max. 4.5 A - Dimensions: 170 x 240 x 92 mm Type: Without power cable	159382	4	6.756,75 ZAR
Item 0100 D:AS-NK-ZA-KGS-2,5M IEC power cable One side designed as a connector and one side with a country-specific plug Type: Connector as per SANS 164-1 for ZA, IN, PT, SG, HK, (GB), (AE)	350367	4	196,02 ZAR
D·AS-P-VD-6-25 Oil-lubricated, extremely quiet (45 dB	91030	4	16 822,67 ZAR

NESTLE SOUTH AFRICA (PTY) LTD VENDOR NUMBER 100131928 NESTLE HARRISMITH BONNET STREET HARRISMITH 9880



For all requests please indicate customer number and delivery note number				
Customer number	Delivery note number	Our Order number	Festo consultant	
0017031116	1162478458	2170491637	Didactic Sales	

Delivery note 1162478458

				Date 03 June 2016
Description	Part number	Qty	Net price per unit	
provides all the components required for basic training in electropneumatic control technology. Components have the patented Quick-Fix system, pneumatic and electrical connections are located on				No of pages 4 Of 11
the easily-accessible upper side of the components, Quick Star fittings for plastic hose PUN-4 x 0.75 with standard inside or outside diameters and 4 mm safety sockets or M8 industrial plug connectors.				Contact Department Mrs L Hocking Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9
All components are of industrial quality Supplied in Systainer-compatible equipment trays, also suitable for Learnline drawers. The scope of delivery includes adhesive symbols for clearly labelling where the components are kept. 1x Signal input, electrical 162242 2x Relay, three-fold 162241 1x Limit switch, electrical, left-actuated 183322 1x Limit switch, electrical, right-actuated 183345 1x Proximity sensor, optical, M12 572744 2x Proximity sensor, electronic with cylinder mounting 540695		-	Thoras	liane hocking@za festo.co
1x 2 x 3/2-way solenoid valve with LED, normally closed 567198 1x 5/2-way solenoid valve with LED 567199 2x 5/2-way double solenoid valve with LED 567200 1x Pressure sensor with display 572745 2x One-way Flow Control Valve 193967 1x Double-acting cylinder 152888			Otores Delivere Nestlé F Pata	otch 600d Food, Good
D:AS-KS-4MM-UNI-SIBU Safety laboratory cables, 98 pieces, red and blue Complete set, consisting of 98 safety laboratory cables with 4 mm safety plugs in the colours red and blue:	167091		6.296,40 ZAR	



For all requests please indicate custo	mer number and delivery note numbe	7	
Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478458	2170491637	Didactic Sales

Delivery note 1162478458

03 June 2016

No of pages 3 of 11

Contact Department Mrs L Hocking

Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane.hocking@za festo co

Description	Part number	Qty	Net price per unit
Actuator, normally closed 152860 1x 3/2-Way- Panel mounted Valve with Pushbutton Actuator, normally open 152861 1x 5/2-Way Panel Mounted Valve with Selector Switch 152862 1x 3/2-Way Panel Mounted Valve with Selector Switch, normally closed 152863 2x 3/2-Way Roller Lever Valve, rormally closed 152866 2x Proximity sensor, pneumatic, with cylinder attachment 539775 1x Pneumatic timer, normally closed 540694 1x Pressure Sequence Valve 152884 1x 3/2-way valve, pneumatically actuated at one end 576302 1x 5/2-way valve, pneumatically actuated at one end 576307 3x 5/2-way double pilot valve, pneumatically actuated at both ends 576303 1x Shuttle Valve (OR) 539771 2x Dual-pressure Valve (AND) 539770 1x Quick-exhaust Valve 539772 2x One-way Flow Control Valve 193967 1x Single-acting cylinder 152888 1x On-Off Valve with Filter Regulator Unit 540691 1x Pressure Regulator Valve with Manometer 539756 2x Manometer 152865 1x Distribution Manifold 152896 2x Plastic tubing 151496			Stores Delivered Nestlé Poto Date
D:TP-201/101-1-CE-SB "Extension kit to convert ""Pneumatics," "Basic Level"" (TP 101) to" Electropneumatics, Basic Level (TP 201) This extension kit, together with the "equipment set ""Pneumatics, Basic Level"","	540717	÷	35.699,40 ZAR



For all requests please indica	ite customer number and delivery note	number	
Customer number	Delivery note number	Our Order number	Festo consultant
0017031116	1162478458	2170491637	Didactic Sales

Delivery note 1162478458

03 June 2016

Contact Department
Mrs L Hocking Didactic Phone ++27 (0) 11-971-5 Fax ++27 (0) 11-974-9 liane hocking@za festo co

Description	Part number	Qty	Net price per unit	
plate that can be used on both sides (1100 mm) and ER mounting frame. Type: With 1100 x 700 mm profile plate and ER frame				No 2
Item 0020 D LL2-SD3 Fixed drawer unit for installation in mobile workstations Fixed drawer unit with three lockable steel drawers, fully extendable and with safety stop Type· Fixed drawer unit hydraulic with 3 drawers	539026	8	14.399,39 ZAR	Con Mr Du Ph Fa: lia
nem 0030 D.LL2-AB Storage plate for the basic mobile unit	539729	4	2 003,10 ZAR	
tem 0040 D·LL2-HC Holder for laboratory cables	535812	8	1.060,29 ZAR	
D:TP-101-CP TrainingPackage 101: Pneumatics Basic Level This training package includes all the components required for training in the fundamentals of pneumatic control technology. Components have the patented Quick Fix mounting system, pneumatic connections on the easily-accessible upper side of the components, and Quick Star fittings for plastic tubing PUN 4 x 0.75 mm with standard inside or outside diameters. All components are industrial quality.	540710	4	37.132,92 ZAR	
Supplied in Systainer-compatible equipment trays, also suitable for Learnline drawers. The scope of delivery includes adhesive symbols for clearly labelling where the components are kept. 2x 3/2-Way-Panel mounted with Pushbutton			Stores Delivered Postle F	atch



77.0

Your order 4546691247 of 20 03 2016

9880

Stores Delivered Nestlé Potch

Nest'ē

/Good Food, Good Life

Date ... 07/06 Signature



For all requests please indicate customer number and delivery note number Festo consultant Customer number Our Order number Delivery note number 0017031116 1162478458 **Didactic Sales** 2170491637 Shipping type
21 / Carrier Checked by Packed by Sales Office Tlme 1701 Johannesburg 10.43

Delivery note 1162478458

03 June 2016

No of pages 1 of 11

Contact Department Mrs L Hocking Didactic -Phone + 27 (0) 11-971-5 ++27 (0) 11-974-9 liane hocking@za festo co

Reg No 1973/003776/07 VAT Reg No 4350101004

Directors Mr KJM Heckl * Dr OJ Schott** B C Wallace (Managing)
*German **Swiss

Regional Offices at

Bloemfontein Cape Town Durban East London Pietermanitzburg Port Elizabeth Vereeniging

PFES1162478458 0001 PFES1162478458_0002 TRIBULI CHA LA BALLO CALLA PFES1162478458_0003 TÜ HAN ISUONANIAINANANIAINANIAINANI TURKINI ISU PFES1182478458_0006 <u>a in manananan kananan dan baharan dan ba</u> PFES1162478458_0006 TÜRKÜN TÜREN KARITAN KANAN KARIN KANAN PFES1162478458_0007 N I K ÎN DATÎ Î ÎN BARALDÎN BARAÎN Î BARALAKÎ Î ÎN DATALAKÎ BARALAKÎ PFES1162478458_0008

Contact:

2531

Deliver to:

Jeppe Stree 24,

Potchefstroom

Deliver to:

2531

Contact

Jeppe Stree 24,

Potchefstroom

NESTLE Potch Industria

Mark Wright 082 417 1229

Training Rig for Estcourt

Training Rig East London

NESTLE Potch Industria

Training Rig Potchefstroom Training Rig Mossel Bay

Mark Wright 082 417 1229

Training Rig for Estcourt Training Rig East London Training Rig Potchefstroom Training Rig Mossel Bay

Description	Part number	l Qty	Net price per unit
Item 0010 D.LL2-MW-MF-V-1100-ER Mobile laboratory workbench Mobile workstation system with profile	539028	4	40.495,95 ZAR

Festo (Pty.) Ltd.

Head Office, Johannesburg 22 - 26 Electron Ave Isando P O Box 255, 1600 Republic of South Africa Phone +27(0)11-971 5500 Fax +27(0)11 974 2157